

To: StClair, Christie[StClair.Christie@epa.gov]
From: Jenkins, Laura Flynn
Sent: Sun 8/16/2015 4:16:27 PM
Subject: Re: New York Times — DEADLINE TODAY — Gold King Flow Rate

FYI still looking for flow rate she cited but I think it was lower. Will forward her original request to you in a minute.

Laura Jenkins

Budget/Project Officer

Water Security Division

& USEPA Region 8

1595 Wynkoop St.

8P-W-DW

Denver, CO 80208

Land Line: 303-312-6256

Cell Phone: 202-360-8453

On Aug 16, 2015, at 10:12 AM, StClair, Christie <StClair.Christie@epa.gov> wrote:

That's all I need thank you!

Christie St. Clair

Office of Public Affairs

Environmental Protection Agency

o: 202-564-2880

m: 202-768-5780

On Aug 16, 2015, at 10:01 AM, "Jenkins, Laura Flynn" <Jenkins.Laura@epa.gov> wrote:

Julie asked us to confirm the flow rate reported by other news outlets. She submitted a req for confirmation on Thursday or Friday and I routed it to EOC/JIC. Apparently she didn't get a response so emailed me again today.

Deliberative Process/Ex. 5

Let me know how you want to proceed.

Laura Jenkins

Budget/Project Officer

Water Security Division

& USEPA Region 8

1595 Wynkoop St.

8P-W-DW

Denver, CO 80208

Land Line: 303-312-6256

Cell Phone: 202-360-8453

On Aug 16, 2015, at 9:56 AM, StClair, Christie <StClair.Christie@epa.gov> wrote:

If there is more to this inquiry I need to know, please tell me.

Christie St. Clair

Office of Public Affairs

Environmental Protection Agency

o: 202-564-2880

m: 202-768-5780

On Aug 16, 2015, at 9:55 AM, "Jenkins, Laura Flynn"
<Jenkins.Laura@epa.gov> wrote:

Will do

Laura Jenkins

Budget/Project Officer

Water Security Division

& USEPA Region 8

1595 Wynkoop St.

8P-W-DW

Denver, CO 80208

Land Line: 303-312-6256

Cell Phone: 202-360-8453

On Aug 16, 2015, at 9:54 AM, StClair, Christie
<StClair.Christie@epa.gov> wrote:

HOLD

Christie St. Clair

Office of Public Affairs

Environmental Protection Agency

o: 202-564-2880

m: 202-768-5780

On Aug 16, 2015, at 9:53 AM, "Jenkins, Laura Flynn"
<Jenkins.Laura@epa.gov> wrote:

Should I still send language to Julie?

Laura Jenkins

Budget/Project Officer

Water Security Division

& USEPA Region 8

1595 Wynkoop St.

8P-W-DW

Denver, CO 80208

Land Line: 303-312-6256

Cell Phone: 202-360-8453

On Aug 16, 2015, at 9:52 AM, StClair, Christie
<StClair.Christie@epa.gov> wrote:

DAN CALL ME NOW

Christie St. Clair

Office of Public Affairs

Environmental Protection Agency

Washington, DC

o: 202-564-2880

m: 202-768-5780

From: Dan Abrams [<mailto:Abrams.Dan@epamail.epa.gov>]

On Behalf Of EOC Public Information

Sent: Sunday, August 16, 2015 10:28 AM

To: Jenkins, Laura Flynn

Cc: Press

Subject: Re: New York Times — DEADLINE TODAY —
Gold King Flow Rate

Deliberative Process/Ex. 5

-Dan

From: Jenkins, Laura Flynn

Sent: Sunday, August 16, 2015 9:56 AM

To: EOC Public Information

Cc: Press

Subject: Re: New York Times — DEADLINE TODAY —
Gold King Flow Rate

Deliberative Process/Ex. 5

Laura Jenkins
Budget/Project Officer
Water Security Division
& USEPA Region 8
1595 Wynkoop St.
8P-W-DW
Denver, CO 80208

Land Line: 303-312-6256

Cell Phone: 202-360-8453

On Aug 16, 2015, at 7:54 AM, EOC Public Information
<EOC_Public_Information@epa.gov> wrote:

Deliberative Process/Ex. 5

From: Turkewitz, Julie <julie@nytimes.com>
Sent: Sunday, August 16, 2015 9:50 AM
To: Jenkins, Laura Flynn; Press; EOC Public Information
Subject: New York Times — DEADLINE TODAY — Gold King Flow Rate

Hi all,

I am following up on the emails I sent last week —

I am looking for the current wastewater flow rate out of the Gold King Mine.

Can you please provide this today, as soon as possible? My story will run tomorrow. If not, I will have to write in the New York Times that the E.P.A. would not share this basic piece of information with the public.

The AP reports that the flow rate is 213 gallons/min.

Can you confirm?

http://hosted.ap.org/dynamic/stories/U/US_MINE_WASTE_LEAK?SITE=AP&SECTION=HOME&TEMPLATE=DEFAULT

Thank you.

Julie

--

Julie Turkewitz



Denver Bureau

301 928 5072

@julieturkewitz